

Web Images Videos Maps News Shopping Gmail more ▾

Sign in



[Advanced Search](#)
[Preferences](#)

Web Show options... Results 1 - 30 of about 187,000 for **intermediate language driver runtime**. (0.43 seconds)

Use of common **language** infrastructure for sharing **drivers** and ...

... firmware component prior to processing it during the OS-**runtime** phase. ... to a firmware **driver** into a type-safe **intermediate language** (IL)-encoded ...

www.patentstorm.us/patents/7162626/claims.html - [Similar](#)

Methods and system for managing computational resources of a ...

A method according to claim 10, wherein the user mode **driver** and corresponding **runtime** component are provided in **intermediate language** form and the method ...

www.patentstorm.us/patents/7234144/claims.html - [Similar](#)

[More results from www.patentstorm.us »](#)

Use of common **language** infrastructure for sharing **drivers** and ...

Jan 9, 2007 ... Any DXE **driver** may consume the Boot Services and **Runtime** Services ...

An important aspect of the CLI is that its **intermediate language** (IL) ...

www.freepatentsonline.com/7162626.html - [Similar](#)

by VJ Zimmer - 2007 - [Related articles](#) - [All 4 versions](#)

Component firmware integration in distributed systems - Patent

Extensible firmware interface **drivers** are provided for the processors and the chipsets.

in combination with **runtime** programmatic infrastructure. ... In one embodiment, the

intermediate language is written to run on the common ...

www.faqs.org/patents/app/20080244259 - [Cached](#) - [Similar](#)

MODEL BASED DEVICE **DRIVER** CODE GENERATION - Patent

In one embodiment, code 308 is present in an **intermediate language** file that In one case, the **driver** model file can be used to generate **runtime** ...

www.faqs.org/patents/app/20090064196 - [Cached](#) - [Similar](#)

[More results from www.faqs.org »](#)

What is Common **Language Runtime**(CLR)

May 28, 2007 ... What is Common **Language Runtime**(CLR) - The CLR is the layer of the .

... Common **Intermediate Language** (CIL) (formerly called Microsoft **Intermediate**

Language or MSIL) is the ... Windows, Mac, PDA, Linux, **Driver**, Script ...

script.wareseeker.com/ASP-NET/...language-runtime.../3697 - [Cached](#) - [Similar](#)

Free what is common **language runtime** clr Download - what is common ...

Because the IL(**intermediate language**) is being compiled just in time, this component of the CLR is frequently referred ... NET Framework Includes the Common **Language**

Runtime (CLR) and the Windows, Mac, PDA, Linux, **Driver**, Script ...

script.wareseeker.com/free-what-is-common-language-runtime-clr/ - [Cached](#) - [Similar](#)

[More results from script.wareseeker.com »](#)

18. **Runtime** Hosting

Compilers generate code in a format called Common **Intermediate Language** (CIL) to

OpenLink Virtuoso **Driver**: 03.00.2315 OpenLink Virtuoso ODBC **Driver** ...

docs.openlinksw.com/virtuoso/rthclr.html - [Cached](#) - [Similar](#)

PostgreSQL 8 for Windows - Google Books Result

by Richard Blum - 2007 - Computers - 384 pages

PostgreSQL does not supply a JDBC **driver** for these versions. ... Java (TM) 2 **Runtime**

Environment, Standard Edition (build 1 . 5

books.google.com/books?isbn=0071485627...

DevCity.NET :: Demystifying Microsoft **Intermediate Language**. Part ...

NET **runtime**. However, they differ a little in their functionalities. THIS is the

intermediate language for all the .NET languages?! :^p ... tell me right I wrote the following sentence: "Dodge avenger **driver** falls short of winning ...
www.devcity.net/Articles/57/msil_3_debug.aspx - [Cached](#) - [Similar](#)

Compiler Construction with C# and .Net Intermediate Language

Compiler Construction: With C# and DotNet **Intermediate Language** ... The basic requirement is a C# compiler and the DotNet **runtime**. ... Elisa.cs, The main compiler **driver**: processes command line flags, then calls the parser and code ...
www.cl.cam.ac.uk/teaching/0809/CompConstr/NEJ/ - [Cached](#) - [Similar](#)

ADO.NET Framework & .NET Definitions

For Custom **Driver** Development ... The common **language runtime** (CLR) is the core **runtime** engine for executing ... The "just-in-time" compilation that converts Microsoft **intermediate language** (MSIL) into machine code at the point when the ...
www.datadirect.com/developer/net/definitions/index.ssp - [Cached](#) - [Similar](#)

cc - The MINIX 3 Operating System

Read the OPTIONS section of acd(1) for the **driver** specific options. ... The first **language** mentioned selects the **runtime** startoff. The ACK **intermediate language** is named "EM". .m Peepphole optimized EM. .gk Result of the (optional) ...
www.minix3.org/manpages/man1/cc.1.html - [Cached](#) - [Similar](#)

Microsoft Releases Direct3D11 Preview - Printer Friendly version ...

... needed in the Direct3D11 **runtime** and the **driver** to multiple cores, ... rather than forcing the **driver** to recompile the **intermediate language** into native ...
www.cdrinfo.com/sections/news/Print.aspx?Newsid=24331 - [Cached](#) - [Similar](#)

Managed Operating System Alliance (MOSA) - Home

If any of these projects want to succeed, they'll need **driver** and developer support. ... Common **Intermediate Language**: The operating system, its services, the **drivers** and apps ... We ensure **runtime** safety and security with our compiler. ...
mosa.codeplex.com/Wiki/View.aspx?title=FAQ - [Cached](#) - [Similar](#)

CTL as an Intermediate Language

tomate and document collateral evolutions in Linux device **drivers**. Se- ... compiling to the temporal logic CTL-V as an **intermediate language**. ...
www.springerlink.com/index/c45403m4x562n52h.pdf - [Similar](#)
 by ND Jones - [Related articles](#) - [All 2 versions](#)

.NET Framework General CLR: What is the Common Language Runtime ...

1 post - 1 author - Last post: Dec 23, 2005
 Common **Language Runtime** is the generalized multi-**language**, reflective execution ... **Intermediate Language** is a binary assembly **language** that is compiled at ... Network Programming, **Driver** Development, Slow Chat: C++0x ...
www.codeguru.com/forum/showthread.php?t=369619 - [Cached](#) - [Similar](#)

[PDF] Compute Abstraction Layer (CAL) Technology Intermediate Language ...

File Format: PDF/Adobe Acrobat
 differences between ATI **Intermediate Language** (IL) and general-purpose An IL compiler uses an IL shader in conjunction with **driver** state information ...
developer.amd.com/.../Intermediate_Language_Specification--Stream_Processor.pdf - [Similar](#)

lcc.NET: targeting the .NET Common Intermediate Language from ...

virtual machine (VM) and **runtime** environment. The VM, called the .NET Common **Intermediate Language** or MSIL for short, provides a low- ...
doi.wiley.com/10.1002/spe.563 - [Similar](#)

runtime module Resources | TechRepublic

The presenter will discuss the common **language runtime**. ... Microsoft DirectX **Drivers** Redistributable December 2006 (Windows): Microsoft DirectX is a group of NET uses to translate various programming languages into **Intermediate**. ...
search.techrepublic.com.com/search/runtime+module.html - [Cached](#) - [Similar](#)

[PDF] Solving the Starting Problem: Device Drivers as Self-Describing ...

File Format: PDF/Adobe Acrobat - [View as HTML](#)

protected through abstractions exposed by the **driver runtime**. ... Microsoft **Intermediate Language** (MSIL) is a superset of the. Common **Intermediate Language** ...

[research.microsoft.com/.../eurosyst2006_solvingthestartingproblem.pdf](#) - [Similar](#)

by MF Spear - [Cited by 12](#) - [Related articles](#) - [All 10 versions](#)

[Vince Bonfanti's Weblog: .NET Dynamic Language Runtime \(DLR\) and ...](#)

NET **Intermediate Language** (IL) byte code and executed by the .NET **runtime**. What we're demonstrating here is the ability to hook up the BlueDragon. ...

[blog.newatlanta.com/index.cfm?mode=entry&entry...](#) - [Cached](#) - [Similar](#)

[BASIC to QuickBASIC: A Basmark Odyssey](#)

A **driver** program was envisioned to manage files and invoke this analyzer and the ...

Complex **run-time** support routines can be coded in C (rather than machine The

operations defined in this **intermediate language** included all the ...

[www.leinweb.com/basic/manual/man3/odyssey.htm](#) - [Cached](#) - [Similar](#)

[cc\(1\)](#)

Read the OPTIONS section of [acd\(1\)](#) for the **driver** specific options. ... The first **language** mentioned selects the **runtime** startoff. The ACK **intermediate language** is named

"EM". .m Peephole optimized EM. .gk Result of the (optional) ...

[www.minix-vmd.org/pub/Minix-vmd/1.7.0/wwwman/.../cc.1.html](#) - [Similar](#)

[Writing drivers in C# - Stack Overflow](#)

C# produces **intermediate language** that is interpreted by a virtual machine (. ... You

cannot write kernel mode **drivers** in C# (the **runtime** executes in user ...

[stackoverflow.com/questions/994600/writing-drivers-in-c](#) - [Cached](#) - [Similar](#)

[running .ptx on GPU - NVIDIA Forums](#)

4 posts - 3 authors - Last post: Mar 27

PTX is just an **intermediate language**. ... You'd have to initialize the **driver**, copy the matrix

data to the device (of course, ... compiled by a native compiler and linked against the cuda

runtime library which implements ...

[forums.nvidia.com/index.php?showtopic=93104](#) - [Cached](#) - [Similar](#)

[PLPV 07: Accepted Papers](#)

Oct 5, 2007 ... Jessie: an **Intermediate Language** for Java and C Verification. ...

Implementing Reliable Linux Device **Drivers** in ATS. ... While those operations have no

direct **runtime** cost, they tend to introduce extra **runtime** operations ...

[www.pipv.org/pipv07/schedule.html](#) - [Cached](#) - [Similar](#)

[.NET Framework - Wikipedia, the free encyclopedia](#)

NET Framework 3.0 uses the Common **Language Runtime** of their own **intermediate**

byte-code, Microsoft calling theirs Common **Intermediate Language** (CIL; ...

[en.wikipedia.org/wiki/.NET_Framework](#) - [Cached](#) - [Similar](#)

[Mach-O Programming Topics: Building Mach-O Files](#)

Feb 4, 2009 ... The compiler **driver** calls several other tools that implement the ... The

assembler, /usr/bin/as , creates **intermediate** object files from assembly **language** code. ...

Intermediate object files. These files are not final products; ... These are executable files

that your program can load at **runtime** ...

[devworld.apple.com/.../Conceptual/.../1.../building_files.html](#) - [Cached](#) - [Similar](#)

[Nvidia CUDA: preview \(page 4: CUDA's API\) - BeHardware](#)

Mar 21, 2007 ... It is possible to see the API **runtime** as a high level **language** and the API

driver as an **intermediate** between high and low level, ...

[www.behardware.com/articles/659.../nvidia-cuda-preview.html](#) - [Cached](#) - [Similar](#)

Searches related to: **intermediate language driver runtime**

[c# intermediate language](#)

[cil intermediate language](#)

[intermediate language asp net](#)

[Search within results](#) - [Language Tools](#) - [Search Help](#) - [Dissatisfied? Help us improve](#) - [Try Google Experimental](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [Privacy](#) - [About Google](#)